

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A method for representing files, the method comprising:

receiving an identification of a plurality of files to be represented by [[a]] stack icons;

determining a stack size for each of the plurality of stack icons files, wherein the stack size of a stack icon corresponds to the number of individual files that ~~form~~ are represented by the stack icon ~~plurality of files~~ and wherein the plurality of stack sizes comprise a range from a smallest stack size to a largest stack size;

dividing the stack icons based on size into equal fractions, wherein the equal fractions comprise an equal number of stack icons and wherein the equal fractions comprise a largest stack size fraction comprising largest stack sizes, one or more medium stack size fractions comprising medium stack sizes, and a smallest stack size fraction comprising smallest stack sizes;

assigning each of the stack icons in the largest stack size fraction a predefined largest stack icon;

assigning each of the stack icons in the smallest stack size fraction a predefined smallest stack icon;

assigning each of the one or more medium stack size fractions a predefined medium stack icon, wherein if stack icons have been divided into more than one medium stack size fraction, each medium stack size fraction of the plurality of medium stack size fractions is assigned a predefined medium stack icon, which differs in size from all other predefined icons and is proportional to the medium stack size fraction's relative position in the range; and
displaying each stack icon's assigned predefined stack icon as a representation of the stack icon.

~~comparing the stack size with a predefined range of stack icon sizes, wherein said range is subdivided into at least three stack size sub-ranges;~~

~~identifying one of the sub-ranges into which the determined stack size falls; and~~

~~retrieving a predetermined stack icon that has been assigned to the identified subrange.~~

2. (Currently Amended) The method of claim 1, ~~further comprising storing a plurality of predefined stack icons, each of said stack icons corresponding to at least one stack size sub-range~~ wherein the equal fractions comprise equal thirds and wherein the method comprises:

dividing the stack icons based on size into a largest third, a medium third, and a smallest third;

assigning each of the stack icons in the largest third a predefined largest stack icon;

assigning each of the stack icons in the medium third a predefined medium stack icon; and
assigning each of the stack icons in the smallest third a predefined smallest stack icon.

3. (Previously Presented) The method of claim 2, further comprising storing an empty stack icon that displays an image distinct from other icons in the plurality of predefined stack icons.

4. (Canceled).

5. (Previously Presented) The method of claim 1, wherein one of the sub-ranges is a maximum range identified by a minimum size, and the identifying one of the sub-ranges includes determining whether the determined stack size exceeds said size minimum.

6. (Canceled).

7. (Currently Amended) The method of claim 3, further comprising selecting the empty stack icon in the retrieving of the ~~predetermined~~ predefined stack icon if the determined stack size is zero.

8. (Previously Presented) The method of claim 1, further comprising generating different stack icons to represent files in different distinct libraries, wherein each of said stack icons displays information representative of the content of the files in the distinct library.

9. (Previously Presented) The method of claim 1, wherein the retrieved stack icon visually identifies a file type of the plurality of files.

10. (Previously Presented) The method of claim 9, wherein the visual identification of file type is a persistent overlay on the icon.

11. (Previously Presented) The method of claim 1, wherein said retrieved stack icon includes a thumbnail image displaying contents of one of the plurality of files.

12. (Original) A computer readable medium storing the computer executable instructions for performing the method of claim 1.

13. (Currently Amended) A method for representing a plurality of files, comprising:

receiving an identification of a plurality of files to be represented by a stack icon;

determining a stack size for the plurality of files, wherein the stack size corresponds to the number of individual files in the plurality of files;

identifying a library with which said plurality of files are associated, ~~said files in~~ said library comprising stored files ~~being~~ of a common type, said type being one of word processing, image, address list contacts, and audio;

selecting, for representation of the plurality of files, a predefined stack icon from a plurality of predefined stack icons associated with said library, wherein the plurality of predefined stack icons comprise;

- (1) a largest stack icon for representing pluralities of files with a stack size either including or above a minimum number, wherein the minimum number is a floor figure for the largest stack icon;
- (2) a second smallest stack icon for representing pluralities of files with a stack size above two and either including or below a maximum number, wherein the maximum number is a ceiling figure for the second smallest stack icon; and
- (3) one or more medium stack icons for representing pluralities of files with a stack size both above the maximum number and below the minimum number; and

displaying the selected predefined stack icon for representation of the plurality of files.

~~generating a library-based stack icon, said icon including information that is representative of the content of the files associated with said library, and a stack height corresponding to a size of said plurality of files, wherein said step of generating further comprises the step of selecting a predefined stack icon from a plurality of predefined stack icons associated with said library, where each of said predefined stack icons represents a different size of stack items;~~

~~assigning a first size range to a first one of said predefined stack icons, identifying a second one of said predefined stack icons as an empty stack icon, assigning a minimum size to a third one of said predefined stack icons, said third one of said predefined stack icons being a maximum size icon, wherein said step~~

~~of selecting comprises the step of comparing a size of said plurality of files with said first range or said minimum size.~~

14. (Previously Presented) The method of claim 13, wherein said information associated with said library identifies said common type of said library.

15. (Previously Presented) The method of claim 13, further comprising generating a unique empty stack icon representing a stack having no files.

16. (Canceled)

17. (Canceled)

18. (Currently Amended) The method of claim 13, wherein said stack ~~height~~ icon depicts at least two items when said plurality of files contains more than two files.

19. (Previously Presented) The method of claim 15, further comprising selecting the empty stack icon in response to a user request to display a stack having no files.

20. (Previously Presented) The method of claim 13, further comprising the step of adding an overlay to said generated icon, said overlay identifying a property of the files represented by the generated icon.

21. (Previously Presented) The method of claim 13, wherein said step of generating further includes the step of including a thumbnail in said stack icon, said thumbnail depicting contents of one of said plurality of files.

22. (Original) A computer readable medium storing the computer executable instructions for performing the method of claim 13.

23. (Currently Amended) A system for representing a selected stack of files, the system comprising:

one or more computer-readable media storing sets of default stack icons, each stored set of default stack icons representing and portraying information representative of the content of a corresponding library, wherein each stored set of default stack icons includes multiple icons, each included icon representing a range of stack sizes;

one or more computer-readable media storing computer-executable instructions that cause a computer to perform the following:

~~determining~~ determine a stack size of a selected plurality of files and a library to which the selected files belong, wherein the stack size corresponds to the number of individual files that form the plurality of files;

~~comparing~~ compare the stack size to a plurality of stack size boundaries that divide a stack size range into three or more sub-ranges, said stack size boundaries being assigned to the library to which the selected files belong; and

~~selecting~~ select a default stack icon that has been assigned to a sub-range that includes the stack size; and

display the default stack icon with a common property overlay, wherein the common property overlay comprises an additional icon indicating a common property of all files in the plurality of files and wherein the common property overlay is displayed within the boundaries of the default stack icon.

24. (Previously Presented) The system of claim 23, wherein each stored set of default icons comprises a plurality of stack icons, each icon corresponding to a different range of stack sizes.

25. (Previously Presented) The system of claim 24, said plurality of stack icons further comprising a unique empty stack icon that displays a distinct image.

26. (Previously Presented) The system of claim 23, said first one or more computer-readable media further storing a set of property based icons for at least one library, wherein the property based icons include an overlay indicating a common property of files represented by an underlying stack icon.

27. (Previously Presented) The system of claim 23, said computer-executable instructions further comprising instructions for generating a set of custom thumbnail icons for at least one selected library, wherein the custom thumbnail icons include at least one image from a stack within the at least one selected library.

28. (Previously Presented) The system of claim 23, said computer-executable instructions further comprising instructions for counting the number of files in a selected stack and displaying the number adjacent to or on the icon.

29. (Previously Presented) The method of claim 10, wherein said overlay is a symbol provided by an application that owns the file type.

30. (Previously Presented) The method of claim 20, wherein said property in said overlay identifies an application that owns the file type.

31. (Previously Presented) The method of claim 30, wherein said overlay is provided by the application that owns the file type.

32. (New) The method of claim 13, wherein said one or more medium stack icons comprise a second largest stack icon and wherein said second smallest stack icon comprises a third largest stack icon.